

MOUNTING CONFIGURATIONS

Luminaires are available in the following mounting configurations. Consult individual Spec Sheets for details.

PT = POST TOP **A** = ARM MOUNT **AM** = ARM MID-MOUNT **W** = WALL MOUNT

<p>PT</p> <p>Post Top</p> 	<p>1W</p> <p>Wall Mount</p> 	<p>1AM</p>  <p>One Arm Mid-Mount</p>
<p>1A</p> <p>One Arm</p> 	<p>2A</p> <p>Two Arms</p> 	
<p>2A90</p> <p>Two Arms at 90°</p> 	<p>3A</p> <p>Three Arms</p> 	<p>2AM</p>  <p>Two Arms Mid-Mount</p>
<p>3A90</p> <p>Three Arms at 90°</p> 	<p>4A</p> <p>Four Arms</p> 	

MOUNTING CONFIGURATIONS

Luminaires are available in the following mounting configurations. Consult individual Spec Sheets for details.

A = ARM MOUNT **PT** = POST TOP

1APT

One
Arm
Post
Top



2APT

Two
Arms
Post
Top



3APT

Three
Arms
Post
Top



4APT


Four
Arms
Post
Top





MOUNTING CONFIGURATIONS

Pier Bases/Options



See luminaire spec sheet for compatibility.




44PB
7" SQ x 3" H





45OPB
10-1/2" DIA x 3-3/4" H





55OPB
5-3/4" DIA x 11-7/8" H




27PB¹
6-3/8" SQ x 5-7/8" H




28PB²
7-3/4" SQ x 8" H



673PB³
6-1/8" DIA x 8-1/4" H



P1PB
12" SQ x 1/4" H



P2PB
8" SQ x 1/4" H

¹For use with ballast up to 100w.


²For use with 150w-250w ballast.

³For use with 50w-250w ballast.



MOUNTING CONFIGURATIONS

Chain/Stem Canopy Options



See luminaire spec sheet for compatibility.




SH44
CH44
7" SQ x 3" H




SH27
CH27¹
6-3/8" SQ x 5-7/8" H



SH28
CH28²
7-3/4" SQ x 8" H



Order Example:
CH44-36"-1527



Order Example:
SH44-48"-1527

¹For use with ballast up to 100w.

²For use with 150w-250w ballast.